

July 5 through December 20, 1963

SEMI-ANNUAL INDEX OF ARTICLES

All material is listed under one of the following subjects:

Circuits, Mathematical Analysis
Communications, Methods and Equipment
Components (See Microwaves, Semiconductors)
Computers, Data Processing, and Auxiliary Devices
Consumer Electronics
Human Factors
Measurements, Instruments, Test Equipment
Microwaves
Missiles and Space
Power Sources
Packaging Techniques, Production Processes and Equipment
Radio Frequency Interference
Reliability
Semiconductors, Solid-State Devices

Departments are identified by the following keys:

AN	Application Note	**ED**	Engineering Data	**PF**	Product Feature
ART	Article	**EDN**	ELECTRONIC DESIGN News	**PT**	Practical Theorist
DD	Design Decision	**GA**	German Abstract	**RT**	Russian Translation
DYF	Designing Your Future	**IFD**	Idea For Design	**SR**	Staff Report

Circuits, Mathematical Analysis

Amplifier, selective uses bridged-T control . . . . . IFD p73 Aug 2
Asynchronous gate maintains pulse width . . . . . IFD p96 Sept 13
Battery charger protects small nickel-cadmium cells . . . . . IFD p66 July 5
Blocking oscillator operates without transformer . . . . . IFD p56 Aug 30
Capacitor, trickle charged, multiplies circuit delay times . . . . . IFD p68 Aug 2
Chebycheff ripple . . . . . PT p83 Oct 11
Circuit, variable-width, gives fast pulses for regulators . . . . . IFD p90 Sept 13
Cold-cathode tubes simplify time-delay circuit . . . . . DD p86 Dec 6
Converting rectifiers for voltage doubling . . . . . IFD p67 Nov 22
Counter drive circuit monitors ac-line frequency . . . . . IFD p75 Dec 6
Counter operates on a three-phase principle . . . . . DD p74 Oct 11
Counter technique times long delay lines . . . . . IFD p68 Oct 11
Current-regulating circuit handles loads in ampere range . . . . . IFD p54 Aug 30
Curve-fitting networks, design shortcut to . . . . . ART p70 Aug 16
Curves for easier filter-response plots . . . . . ART p64 Nov 8
Delay line comparator checks tube against itself . . . . . IFD p70 Aug 2
Determining receiver input power . . . . . ED p103 Sept 13
Double-balanced mixer uses no transformer . . . . . IFD p66 Sept 27
Dual thermostat control narrows oven temperature range . . . . . IFD p74 Aug 2
Dual transformers extend voltage control range . . . . . IFD p90 July 19
Eccentric knob trimmer covers 200-cycle tuning range . . . . . IFD p68 Aug 2
Factoring approximation simplifies quadratic polynominals . . . . . IFD p91 July 19
Frequency doubler uses bistable in reverse . . . . . IFD p70 Aug 2
Frequency synthesis adds versatility to stability . . . . . ART p124 Sept 27
Gain control maintains differential amp's dc balance . . . . . IFD p62 July 5
Incremental power calculations in dc networks . . . . . GA p95 Nov 8
Infinite impedance from a constant current source . . . . . ART p66 July 19
Impedance-matching device handles fast-rise transients . . . . . IFD p68 July 5
Introducing modern filter theory PT p93 July 19
Isolating the causes of common-mode noise . . . . . ART p36 Aug 30
Line-splitter equations give fast design data . . . . . IFD p71 Dec 6
Low-cost supply powers indicator tubes . . . . . IFD p78 Oct 25

come to the largest annual electronics show in the world

from February 7 to 12, 1964

Paris, Porte de Versailles

INTERNATIONAL EXHIBITION OF

ELECTRONIC COMPONENTS

All components, tubes and semiconductors, electro-acoustical test and control equipment

For all information and documentation

SDSA 23 rue de Lubeck Paris 16e-Passy 01-16

ON READER-SERVICE CARD CIRCLE 46

Complete library. $1

Every field of endeavor should have its definitive piece. Here is one for anyone who is interested in the freedom of design made possible by photo resists in the fields of printed circuits, microminiaturization, name-plate manufacturing, electro-forming, vacuum deposition, or chemical machining.

True, there is only one such piece, but it tells all that is generally known about resist applications, techniques, and which resists work best with which metals and alloys.

The edition you'll receive will include details on new KODAK Ortho Resist, which has the speed and broader spectral response needed to permit exposure by a high intensity tungsten light source using glass optics (such as a simple slide projector!).

To obtain your copy of "KODAK Photosensitive Resists for Industry," write us, enclosing a dollar bill. At the same time you may also request our slide talk, "Metal Working with Photo Resists," which we'd be happy to lend you. You may also want to ask for our bulletin on high-resolution glass plates for exposing the resists. A new movie, "Chemical Milling with Photo Resists," is now available.

Kodak

Graphic Arts Sales Division ▮ Eastman Kodak Company ▮ Rochester 4, N. Y.

Three metal working machines

Low-cost temperature control provides high stability .....IFD p77 Oct 25
Low noise preamplifier gives high input impedance .....IFD pg 71 Nov 22
Majority-logic adder cuts component needs .....IFD p92 Sept 13
Measuring picoamperes dc ....GA p100 Sept 13
Memorized data generate complete wire tables .....IFD p68 Sept 27
Microvoltmeter converts for differential measurements .....IFD p63 July 5
Monostable multivibrator has high run/recovery ratio .....IFD p70 Nov 22
More about Butterworth .....PT p105 Sept 13
Multivibrator generator gives one pulse per hour output .....IFD p64 Sept 27
Neon bulb circuit controls SCR remotely .....IFD p65 Nov 22
Neon bulb controls astable multivibrator .....IFD p64 Sept 27
Network table for easier control system design .....ART p60 Aug 16
Neutralization extends range of differential amplifiers .....IFD p59 Aug 30
Optimum design of two-pole bandpass filters .....ART p58 Oct 25
Overload protector dissipates little power .....IFD p71 Dec 6
Problems in designing high speed comparators .....ART p40 Aug 30
Producing 500-w nanosecond pulses .....AN p62 Oct 11
Regulated dc voltage converter GA p70 Sept 27
Repetition rate discriminator indicates interrogation .....IFD p96 Aug 16
Sawtooth generator has wide-range time delay .....IFD p64 Nov 22
Schmitt trigger flip-flop has adjustable input threshold .....IFD p90 July 19
Short-duration pulses drive visual indicators .....IFD p67 July 5
Simple null circuit has many applications .....IFD p101 Aug 16
Simple overload circuit protects dc power supplies .....IFD p89 July 19
Simple test setup tracks down intermittents .....IFD p96 Aug 16
Simplified pulse circuit has low output impedance .....IFD p68 Nov 22
Single-stage agc has 40-db control range .....IFD p72 Aug 2
Signal-conditioning instrumentation networks .....IFD p89 Nov 8
Sensitive current detector indicates direction of flow .....IFD p70 Oct 11
Sensitive level detector gives close voltage control .....IFD p94 Aug 16
Spark suppressor allows fast drop-out .....IFD p92 July 19
Step switch circuit locates, indicates shorts .....IFD p69 Nov 22
Synthesizing RC networks for deposited circuits .....ART p50 Aug 30
Tapped-primary transformer doubles as autotransformer .....IFD p65 July 5
Temperature sensitive resistors are low cost function inverters .....IFD p90 July 19
Three-mode multivibrator uses single control wire .....IFD p79 Oct 25
Transistors, direct-coupled, provide simple parity check .....IFD p98 Sept 13
Tripler, push-pull, improves gain at vhf .....IFD p97 Sept 13
Universal regulator adapts to power-supply needs .....IFD p74 Oct 25
Unijunction generator has variable square wave output .....IFD p95 Sept 13
Use Chebycheff filters for better skirt selectivity .....PT p93 Nov 8
Varistor stabilizes phase-shift oscillator .....IFD p66 Sept 27
Video amplifiers, designing low cost .....AN p90 Aug 16
Voltage sensor monitors multiple power supply outputs .....IFD p98 Aug 16
Zeroing in on Butterworth ....PT p119 Aug 16

Communications, Methods and Equipment

Beam-scan system for blind landing may replace ILS .....EDN p24 Aug 2
Better radars designed using pulse compression .....EDN p8 Aug 30
Broad-banding transmitter output stages .....ART p38 July 5
Experimental sets can transmit voice at 70 and 50 Gc .....EDN p14 July 5
Highly accurate FAA radar to test aircraft equipment .....EDN p28 Nov 22
Spectrum signature measurements: communications systems .....ART p72 July 19
Vhf system would use meteor trails .....EDN p30 Nov 8
World's highest radar station to crown Mt. Fuji .....EDN p30 Aug 30

Components (See Microwaves, Semiconductors)

Air-floated fan reduces friction & noise .....PF p130 Dec 6
Analog memory features quick read-in, long retention .....PF p112 Dec 20
Analog multiplier modulator yields dc to 30-Kc bandwidths .....PF p130 Dec 6
Chart simplifies transformer design .....IFD p86 Nov 8
Charts plot shielded cable data .ART p77 Dec 6
Circuit patterns etched directly into dielectric .....EDN p18 Oct 11
Component survey: magnetic reed switches and relays .....ART p54 July 5
Conductive paints shield small toroid core winding .....IFD p68 Oct 11
Connector, "slide-on," may compete with wire wrap .....DD p72 Nov 8
Counter-timer oscillator warms up in 13 minutes .....PF p180 Nov 8
Electrode cell charges rapidly and safely .....PF p126 Oct 25

INDEX OF ARTICLES

Evaluating shielded cables .....ED p77 Dec 6
Flexure design gives accelerometer 0.1% accuracy .....PF p134 Dec 6
Frequency synthesizer survey ART p128 Sept 27
Glass-packaged rectifiers handle 1 Kv at 1 amp .....PF p142 Nov 22
Highly stable nuclear transducer has digital output .....EDN p8 Oct 11
Laser transducers will extend range of seismographs .....EDN p34 Oct 11
Magnetic reed scanner handles 100 crosspoints .....PF p166 Aug 16
North seeking gyro provides accurate data in 7 minutes .....EDN p14 Aug 30
"O" ring loading allows torque control in tunable coils .....PF p114 Dec 20
Pressure sensor modulates nuclear beam to send data .....EDN p14 Sept 27
Recorder, 3600-count resolution in 3-x 2-in. diameter .....PF p164 Aug 16
Reed relay, magnetic and magnetic reed switch supplement .....ART p90 Aug 30
Reed switch, piggy-back adds more relay contacts .....IFD p91 Nov 8
Simple D/A converter provides chopped output .....IFD p88 Nov 8
Small, high-capacitance ceramics made possible by new material .....PF p140 Nov 22
Stabistor used for rapid battery recharge .....PF p110 Dec 20
Three stabilized undersea sensors measure magnetism .....EDN p30 Nov 22
Timers span 50 msec to 3 years PF p116 Dec 20
Wire, superconductor for 100 Kgauss use goes into production .....EDN p28 Aug 30

Computers, Data Processing, Auxiliary Devices

Advanced computer techniques at NEC .....EDN p4 Nov 22
Analog memory features quick read-in, long retention .....PF p112 Dec 20
Better conceptual tools held key to machine intellect.....EDN p22 Sept 27
Computer, complex for medical data, UCLA inaugurates .....EDN p14 Aug 16
Computer, radar and sonar to keep Mohole rig steady .....EDN p14 Oct 11
Cryogenic plane developed by RCA, stores 16,384 bits .....EDN p14 July 19
Data-link design, avoiding waiting-time problems in .....ART p44 July 5
Data-transmission system will sample 3000 input signals .....EDN p25 Aug 2
Exclusive-OR circuit uses three transistors .....IFD p71 Oct 11
Exclusive-OR needs no complement .....IFD p73 Dec 6
Fresh approach to digital circuit design .....ART p46 Nov 22
Information on display .....EDN p18 Sept 27
Jet's performance checked constantly by airborne system .....EDN p30 Dec 6
Learning machines: how much progress .....SR p 34 Nov 22
Logic circuits designed for 800-Mc operation .....EDN p8 Dec 20
Majority-logic adder cuts component needs .....IFD p92 Sept 13
New circuit, logic functions studied for neuron elements .....EDN p34 July 19
New hybrids spur union of digital and analog .....EDN p4 July 19
Remote-readout, new, scanning system uses fiber optics.....EDN p23 Aug 30
Simple D/A converter provides chopped output .....IFD p88 Nov 8
Step-by-step design of sequential circuits .....ART p42 Oct 11
Timers span 50 msec to 3 years PF p116 Dec 20

Consumer Electronics

Electronics in toyland .....EDN p18 Aug 30
Fifty-watt, high-fidelity from transistors .....AN p86 Sept 13
Gate turn-off rectifier drives TV horizontal sweep .....IFD p66 Oct 11
Newest note in hi-fi luxury ....EDN p16 Oct 11
Tomorrow's car-ignition system: contactless & transistorized .....EDN p8 Dec 6

Human Factors

Human factors: hindsight no longer will do .....SR p54 July 19
Maintainability: password to system effectiveness .....SR p48 July 19
Manufacturing research: a new link between design and production .....ART p84 July 19
The value engineer: newest member of the design team .....SR p58 July 19

Measurements, Instruments, Test Equipment

Comparator uses 3-transistor dc amplifier .....PF p178 Oct 11
Fast oscilloscope squirts ink ..EDN p28 Oct 11
Linearizing analog measuring systems .....ART p44 Sept 27
Measurement techniques resolve lead length problems .....ART p32 Dec 20
Oscilloscope output checks Zener voltage .....IFD p75 Dec 6
Standards stations, NBS inaugurates .....EDN p40 Aug 16
Transistorized voltmeter has 100-megohm impedance .....IFD p68 Dec 6
Variations in reflectometer techniques .....DD p70 Oct 25

Well, I can relax now . . .

Our customers can give a comfortable sigh of relief when they have placed their fabricating problems in the hands of American Aluminum.

They know it pays to deal with a specialist whose specialty is superb craftsmanship in aluminum fabrication. They know that we have the engineering ability, more than 50 experience-packed years, the skilled hands and the modern machinery that turn out superior work.

Odd shapes and contours? No problem here. We can accomplish the unusual with complete satisfaction. Send us your blueprints or take advantage of our ideas on design.

American Aluminum will baby your product like a doting mother.

SPECIALISTS IN CONTRACT MANUFACTURING OF ALUMINUM FOR INDUSTRY

Complete fabricating facilities for Deep Drawing, Heat Treating, Spinnings, Assembly, Brake Work, Stampings, Anodizing, Welding and Finishing.

Complete die making facilities
Stock dies on hand for many shapes
Complete inspection facilities

Send for new 12 page brochure
"METAL FABRICATIONS FOR INDUSTRY"

AMERICAN ALUMINUM COMPANY

Manufacturers of Aluminum Products for Industry since 1910

230 Sheffield Street, Mountainside, New Jersey

ON READER-SERVICE CARD CIRCLE 48


NOW
TO 1200
CHANNELS
AND
OUT-OF-BAND
0db
-80db
12kc 14kc
2438kc
5340kc 5564kc
NOISE LOADING TEST SET - MODEL 1249B
can now be supplied in versions suitable for up to 960 or 1200 channel systems.
Busy channel conditions are simulated by loading system with Gaussian noise injected at base band. Band limiting and band stop filters are available for all channel capacities — equipment meets full CCIR and CCITT recommendations.
NOW AVAILABLE
Out-Of-Band TEST SET for continuous in-use monitoring includes gain standardized receiver and slot filters.
APPLICATIONS
Setting up multi-channel voice and data systems. Checking linearity of television and video links. Testing for intermodulation in orbiting satellite repeaters.
PRICES
Basic 960 channel unit Model 1249B — $2,850.
Basic 1200 channel unit Model 1269B/3 — $3,750.
Out-of-Band Test Set Model 1249B — $3,300.
Send for details and Bulletin describing White Noise measuring techniques.
MARCONI
INSTRUMENTS
DIVISION OF ENGLISH ELECTRIC CORPORATION
111 CEDAR LANE • ENGLEWOOD, NEW JERSEY
Main Plant: St. Albans, England
ON READER-SERVICE CARD CIRCLE 49

Microwaves

Antenna arrays, designing electronically dipole aimed ..... RT p108 Aug 16
BWOs yield 5 and 15 watts minimum power at 51 to 56 Gc ..... PF p138 Nov 22
Bulk semiconductor acts as photomixer for laser's signal ..... EDN p22 Nov 22
Doppler radar unit, 53-pound airborne, occupies 1.2 cu ft ..... EDN p44 Aug 16
5985-Å solid laser offers high power ..... EDN p11 Nov 8
Infrared: the broad spectrum ... SR p32 Oct 25
Infrared: photoconductive detectors ..... SR p38 Oct 25
Infrared: putting infrared to work ..... SR p44 Oct 25
Laboratory TWT uses tunnel cathode ..... EDN p28 Sept 27
Laser-radar gets high pulse power from Q-spoiler ..... EDN p22 Oct 11
Laser range finder has 5-mw pulses ..... EDN p24 July 19
Laser rangefinders trigger R&D scramble ..... EDN p4 Aug 16
Lasers ..... SR p34 Aug 2
Manually operated laser radar tracks targets angularly ..... EDN p27 Nov 8
Microwave tubes, hall-effect units highlight advances ..... EDN p14 Nov 8
Millimeter tubes steadily improving ..... EDN p4 Dec 20
Overvoltage control gives fast TWT heating ..... IFD p84 Nov 8
Propagation path: a key to antenna selection ..... ART p44 Dec 20
Solid-state microwave system, expansion planned for ..... EDN p28 July 5
Stabilize klystrons with new discriminator and simple afc ..... DD p60 Nov 22

Missiles and Space

Antennas, erectable space, taking shape ..... EDN p4 Sept 27
Apollo spacecraft to use compact digital computer ..... EDN p25 Oct 25
HF signals, bounced along ionsphere, circle globe ..... EDN p8 Oct 25
How we'll talk to the man on the moon ..... EDN p4 Oct 25
Monitors detect toxic gases during rocket firings ..... EDN p18 Oct 25
Proposed antenna for space doesn't need orientation ..... EDN p10 Oct 25
Satellite's solar tracker accurate to two arc/second ..... EDN p24 Nov 8
Space spectacular may mark date of tandem orbit shot ..... EDN p22 Aug 16
Unified-carrier link proposed for lunar mission ..... EDN p8 Sept 27

Packaging Techniques, Production Processes and Equipment

Analytical methods for integrateds devised ..... EDN p4 Oct 11
Bolted-down module joins subcircuits to motherboard ..... DD p104 Aug 16
Liquid cooling systems, basic analysis of ..... ART p74 Aug 16
Microcircuit sales by '67 put at $300 million ..... EDN p8 July 19
Microcircuits, Navy spending $15 million a year on ..... EDN p8 July 5
Micrologic: conversion to epitaxial method ..... PF p98 Aug 2
Synthesizing RC networds for deposited circuits ..... ART p50 Aug 30
Vapor cooling-basic principles .. DD p52 Dec 20

Power Sources

Current drawn from living rat powers 500-Kc transmitter ..... EDN p18 Aug 16

Radio Frequency Interference

New emc models speed analysis of interference ..... EDN p8 Nov 8
RFI control hampered by sketchy date ..... SR p60 July 19

Reliability

Choosing the best method for a variability analysis ..... SR p39 Nov 8
Designing for the military—the new disciplines move in ..... SR p40 July 19
Failure sleuths at work ..... SR p50 Nov 8
How a Monte Carlo analysis optimized a circuit ..... SR p54 Nov 8
Looking inside solid-state devices SR p52 Nov 8
Making the best use of design reviews ..... SR p50 Dec 6
Massive reliability drive under way ..... SR p42 July 19
MIL specs pinpoint maintainability goals ..... SR p42 Dec 6
New ammunition for trouble-shooters ..... SR p46 Dec 6
The other side of the reliability coin ..... SR p38 Dec 6
Tightened procurement methods put squeeze on designers ..... SR p41 July 19
Value engineers ponder problem of getting attention ..... EDN p12 Sept 27

Semiconductors, Solid-State Devices

Accurate level-sensor uses tunnel diode ..... DD p76 Nov 8
Added transistor extends one shot range ..... IFD p98 Aug 16
Air Force to seek low-cost inertial navigation system ..... EDN p25 Dec 6
Auto radio amplifier, direct-coupled, delivers 6.5 watts ..... DD p70 July 5

INDEX OF ARTICLES

Bootstrapping helps transistors approach FET performance .....AN p66 Dec 6
Case for low pinch-off voltage in FETs .....ART p46 Oct 11
Circuits, transistor, switching, charge concepts in transient analysis .....ART p46 Aug 30
Cold-cathode tubes simplify time-delay circuits .....DD p86 Dec 6
Combining FETs for higher gain .....ART p36 Sept 27
Delayed SCR turn-on eliminates contact bounce .....IFD p65 July 5
Determining voltage gain of field-effect transistors .....IFD p100 Aug 16
Diodes '63 .....SR p41 Sept 13
Diode function generators, four-step design of .....ART p58 Aug 2
Diodes prevent damage to transistor emitter followers .....IFD p70 Oct 11
Electrical-bubble phenomenon found in some germanium .....EDN p22 Nov 8
Exclusive OR circuit uses three transistors .....IFD p71 Oct 11
Failure mechanism in thin-films may work as transducer .....EDN p14 Oct 25
FET-diode generator has linear sawtooth sweep .....IFD p94 Sept 13
FET makes high level phase sensitive detector .....IFD p80 Oct 25
Field-effect integrator generates long, linear sweeps .....IFD p58 Aug 30
Field-effect transistors give ultra-linear lf sawtooth .....IFD p62 July 5
Field-effect transistor improves low pass filter action .....IFD p90 Nov 8
Forward or reverse transistor AGC? .....ART p64 Oct 25
Frequency doubler uses single transistor .....IFD p69 Oct 11
Glass-packaged rectifiers handle 1 Kv at 1 amp .....PF p142 Nov 22
Graphs speed unsymmetrical flip-flop design—part 1 .....ART p74 Sept 13
Graphs speed unsymmetrical flip-flop design—part 2 .....ART p56 Sept 27
Hard look at soft-tube modulators .....ART p52 Oct 11
High-gauge factor TDs show promise as strain sensors .....EDN p30 Oct 11
Indicator-driver design, ground rules for .....ART p54 Aug 2
Instability and neutralization—part 1 .....ART p36 Dec 20
Loran C receiver 85% digitized with microcircuits .....EDN p22 Dec 6
Modulated constant-current generator measures transistor breakdown .....DD p82 Dec 6
Neon driver circuit uses low voltage transistor .....IFD p102 Aug 16
Quasi-square waveform drives static inverter .....DD p78 Sept 13
Radiation reduces diode luminescence in navy lab tests .....EDN p32 Sept 27
SCR circuit breaker has fast operation .....IFD p86 Nov 8
SCR inverters, designing series ART p48 July 5
SCR pulse stretcher resets after pulse train .....IFD p72 Nov 22
SCR radar modulators, how to get power from .....SR p52 Sept 13
SCRs sequentially, how to trigger .....ART p52 Sept 27
Selecting the proper high-voltage rectifier .....SR p52 Sept 13
Short-cut design of a transistorized af power amplifier .....ART p54 Dec 6
Silicon carbide, room-temperature, emits cw at 456Å .....EDN p25 Sept 27
Simple meter circuits indicates transistor beta .....IFD p96 Aug 16
Speeding the design of af power amplifiers .....ART p54 Dec 6
Step-recovery diodes for faster high-level wavefronts .....ART p56 Oct 11
Switch on switching equations ART p78 July 19
Transient analysis of transistor switching circuits, charge concepts in ...ART p64 Aug 16
Transient control: key to solid-state life .....EDN p4 July 5
TF transistors: how far from practicality .....EDN p4 Aug 2
Transistor flip-flops-worst case design is your best bet—part 1 .....ART p58 Nov 8
Transistor flip-flops-worst case is your best bet—part 2 .....ART p54 Nov 22
Transistor flip-flops-worst case is your best bet—part 3 .....ART p60 Dec 6
Transistor junction computes logarithms .....AN p64 Aug 2
Transistor, 60 watt, tiny batteries at components show .....EDN p31 July 19
Transistor switches: the best design for the worst case .....ART p52 Aug 16
Transistorized alarm monitors remote operation .....IFD p94 Aug 16
Transistors, direct-coupled, provide simple parity check .....IFD p98 Sept 13
Tunnel-diode crystal-controlled oscillators, designing .....SR p42 Sept 13
Tunnel-diode threshold detector, how to design a .....SR p58 Sept 13
Tunnel-diode transistor circuits simplify counters .....SR p64 Sept 13
Unijunction generator has variable square-wave output .....IFD p95 Sept 13
Unijunction oscillator has negative pulse output .....IFD p59 Aug 30
Using high-speed transistors for wideband amplifiers .....AN p80 Nov 8
Variable resistance FET gives 75-db gain control .....IFD p56 Aug 30
Variable temperature control uses Zener characteristic .....IFD p66 Oct 11

REDUCE WEIGHT, SIZE, COST IN PRECISION SERVO SYSTEMS



Vari(f)unction®
UNITIZED
POT-CLUTCH MODULES

Type MC11-37 Vari(f)unction® Unitized Pot-Clutch Module is a representative TIC of California assembly designed for servo applications. This unit reduces weight and size as much as 80% under conventional servo packaging methods. Configuration is almost unlimited, and may include synchros, servo motors, gearheads and other devices in addition to components shown.

SEND FOR SIX PAGE TECHNICAL BROCHURE

© 1963
TECHNOLOGY INSTRUMENT CORPORATION OF CALIFORNIA
A Subsidiary of Bowmar Instrument Corporation
® 850 Lawrence Drive • Newbury Park, California

PRECISION

ON READER-SERVICE CARD CIRCLE 50